

FORM PTO-1390 (Modified)  
EV 11-98)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371

112740-275

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

09/936488

INTERNATIONAL APPLICATION NO.  
PCT/DE00/00728INTERNATIONAL FILING DATE  
08 March 2000PRIORITY DATE CLAIMED  
10 March 1999

TITLE OF INVENTION

METHOD FOR ALLOCATION OF A QUALITY OF SERVICE FOR A PACKET SYSTEM

APPLICANT(S) FOR DO/EO/US

Rudolf Bitzinger et al.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
  - a. ☒ is transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ has been transmitted by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ A copy of the International Search Report (PCT/ISA/210).
8. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
  - a. ☒ are transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ have been transmitted by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☐ have not been made and will not be made.
9. ☒ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
10. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

## Items 13 to 20 below concern document(s) or information included:

13. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☒ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☒ Certificate of Mailing by Express Mail
20. ☒ Other items or information:

Submission of Drawings - Figures 1-2 on two sheets



U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR) <div style="font-size: 1.5em; font-weight: bold; margin-top: 5px;">09/936488</div>		INTERNATIONAL APPLICATION NO. <div style="font-weight: bold; margin-top: 5px;">PCT/DE00/00728</div>		ATTORNEY'S DOCKET NUMBER <div style="font-weight: bold; margin-top: 5px;">112740-275</div>	
---	--	--	--	---	--

21. The following fees are submitted: <b>BASIC NATIONAL FEE ( 37 CFR 1.492 (a) (1) - (5) ) :</b> <div style="margin-top: 5px;"> <input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO ..... <b>\$1,000.00</b> </div> <div style="margin-top: 5px;"> <input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ..... <b>\$860.00</b> </div> <div style="margin-top: 5px;"> <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... <b>\$710.00</b> </div> <div style="margin-top: 5px;"> <input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... <b>\$690.00</b> </div> <div style="margin-top: 5px;"> <input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) ..... <b>\$100.00</b> </div> <div style="text-align: right; margin-top: 10px;"> <b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b> </div>				<b>CALCULATIONS PTO USE ONLY</b>  <div style="border: 1px solid black; height: 100px; width: 100%;"></div>	
Surcharge of <b>\$130.00</b> for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).				<b>\$0.00</b>	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	16 - 20 =	0	x \$18.00	<b>\$0.00</b>	
Independent claims	1 - 3 =	0	x \$80.00	<b>\$0.00</b>	
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>				<b>\$0.00</b>	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				<b>\$860.00</b>	
Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28) (check if applicable). <input type="checkbox"/>				<b>\$0.00</b>	
<b>SUBTOTAL =</b>				<b>\$860.00</b>	
Processing fee of <b>\$130.00</b> for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).				<b>\$0.00</b>	
<b>TOTAL NATIONAL FEE =</b>				<b>\$860.00</b>	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). <input type="checkbox"/>				<b>\$0.00</b>	
<b>TOTAL FEES ENCLOSED =</b>				<b>\$860.00</b>	
				Amount to be:	\$
				refunded	
				charged	\$


  

☒ A check in the amount of **\$860.00** to cover the above fees is enclosed.  
  
☐ Please charge my Deposit Account No. \_\_\_\_\_ in the amount of \_\_\_\_\_ to cover the above fees.  
 A duplicate copy of this sheet is enclosed.  
  
☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. **02-1818** A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

William E. Vaughan (Reg. No. 39,056)  
 Bell, Boyd & Lloyd LLC  
 P.O. Box 1135  
 Chicago, Illinois 60690



SIGNATURE

William E. Vaughan

NAME

39,056

REGISTRATION NUMBER

September 10, 2001

DATE



09/936488

10 SEP 2001  
Docket No.**CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10)**

Applicant(s): Rudolf Bitzinger et al.

112740-275

Serial No.

Filing Date

Examiner

Group Art Unit

Invention: **METHOD FOR ALLOCATION OF A QUALITY OF SERVICE FOR A PACKET SYSTEM**

I hereby certify that the following correspondence:

Transmittal letter to the United States Designated/Elected office in duplicate, International application as filed, amended page, English translation, amended page, Preliminary Amendment, Submission of Drawings Figures 1-2 on two sheets, IDS, PTO 1449, references, search report, filing fee \$860.00, postcard

*(Identify type of correspondence)*

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: The Assistant Commissioner for Patents, Washington, D.C. 20231 on

September 10, 2001*(Date)*Robert Buccieri*(Typed or Printed Name of Person Mailing Correspondence)*  
*(Signature of Person Mailing Correspondence)*EL647240328US*("Express Mail" Mailing Label Number)***Note: Each paper must have its own certificate of mailing.**



BOX PCT  
IN THE UNITED STATES ELECTED/DESIGNATED OFFICE  
OF THE UNITED STATES PATENT AND TRADEMARK OFFICE  
UNDER THE PATENT COOPERATION TREATY-CHAPTER II

5

**PRELIMINARY AMENDMENT**

APPLICANTS: Rudolf Bitzinger et al. DOCKET NO: 112740-275

SERIAL NO: GROUP ART UNIT:

EXAMINER:

INTERNATIONAL APPLICATION NO: PCT/DE00/00728

10 INTERNATIONAL FILING DATE: 08 March 2000

INVENTION: METHOD FOR ALLOCATION OF A QUALITY OF  
SERVICE FOR A PACKET STREAM

15 Assistant Commissioner for Patents,  
Washington, D.C. 20231

Sir:

Please amend the above-identified International Application before entry  
into the National stage before the U.S. Patent and Trademark Office under 35

20 U.S.C. §371 as follows:

**In the Specification:**

Please replace the Specification of the present application, including the  
Abstract, with the following Substitute Specification:

S P E C I F I C A T I O N

25 TITLE OF THE INVENTION

METHOD FOR ALLOCATION OF A QUALITY OF SERVICE FOR A PACKET  
STREAM

BACKGROUND OF THE INVENTION

30 Modern packet-oriented networks, also referred to as "data networks", have  
until now been designed essentially for the transmission of packet streams, which  
are also referred to in the specialist world as "data packet streams". In this case,  
there is normally no need for any guaranteed transmission Quality of Service. The



data packet streams are thus transmitted, for example, with fluctuating time delays since the individual data packets in the data packet streams are normally transmitted in the sequence of their network access; that is to say, the time delays become greater the greater the number of packets to be transmitted by a data network. In the  
5 specialist world, transmission of data is, therefore, also referred to as a transmission service without any realtime conditions, or as a "non-realtime service".

In the course of convergence of line-oriented voice and packet-oriented data networks, realtime services, that is to say transmission services subject to the realtime conditions such as the transmission of voice or moving picture  
10 information, are likewise increasingly being provided in packet-oriented networks. That is the previously normal realtime services which were transmitted on a line-oriented basis are transmitted in a packet-oriented manner, or in packet streams, in a convergent voice/data network. These are also referred to as "realtime packet streams". This results in the problem that a high Quality of Service is required for  
15 packet-oriented transmission of a realtime service whose quality is comparable to that when using line-oriented transmission. In particular, a minimal, for example < 200 ms, delay without any fluctuations in the delay time is important, since realtime services generally require a continuous information flow and any loss of information, such as that resulting from packet losses, cannot be compensated for  
20 by transmitting the rejected packets once again. Since, in principle, these Quality of Service requirements apply to all networks using packet-oriented transmission, they are independent of the specific configuration of a packet-oriented network. The packets may, in consequence, be in the form of Internet, x.25 or frame-relay packets, or in the form of ATM cells.

25 In order to transmit voice and picture information via the packet-oriented Internet, also referred to as "VoIP" - the International Standards (in particular, the H.323 Standard) contain proposed protocols for transmission through the Internet. In this case, the network is broken down into a number of "H.323 zones", in each of which "gatekeepers" are provided for



- converting E.164 telephone numbers to computer names and/or to their Internet addresses,
- permissibility checking for incoming and outgoing calls,
- management of transmission capacities, and

5 - registration of H.323 terminals.

Since, however, the present H.323 Standards do not include any guaranteed Qualities of Service for Internet transmission, the present VoIP technology has the disadvantage that the quality of voice and picture transmission decreases as the number of packets to be transmitted by the Internet rises. In this context,

10 K. Nichols, "Differentiated Services Operational Model and Definitions", IETF Draft, 1998 proposes that a number of service classes be introduced in the packet-oriented Internet, which previously did not guarantee any Qualities of Service. In this case, the individual packet streams are each allocated to a specific service class and are transmitted with high priority or low priority in comparison to packets in  
15 other service classes, depending on their service class, by the transmission nodes in the Internet. The Quality of Service required for realtime services can, thus, be guaranteed, for example, by allocating the associated realtime packet streams to a service class which is transmitted with high priority by the nodes in the Internet - the realtime packet streams are thus prioritized over the data packet streams.

20 In principle, network access monitoring is required at least for the prioritized traffic for priority-controlled transmission since the required Quality of Service can be guaranteed only when the number of prioritized packets supplied to the network is not greater than the maximum number which can be transmitted by the network. To this end, network gateway devices - also referred to as "edge  
25 devices" - have been proposed for the Internet with a number of service classes, and these devices provide the network access monitoring. In this case, the edge devices can

- set priority tags in the packets depending on the priority of their packet streams,
- monitor priority tags of packet streams and correct them if necessary, if the  
30 packets are already tagged with priorities, and



- monitor the transmission capacity of prioritized packet streams.

Until now, there has been no control over the allocation of the Quality of Service; that is, there is a problem as to how Qualities of Service for the packet streams are requested, allocated and signaled to the edge devices before being transmitted. A method is known, in which a reservation protocol RSVP is used by each transmission node in a communications network, to request a Quality of Service required for the transmission of a packet stream, and in which the packet stream is not transmitted if at least one transmission node cannot provide the requested Quality of Service. In this case, the reservation protocol RSVP must be provided in each of the transmission nodes.

The present invention is thus directed toward designing a method for allocation of a Quality of Service for the transmission of a packet stream via a packet-oriented communications network with service classes.

#### SUMMARY OF THE INVENTION

A major aspect of the present invention is the allocation of a Quality of Service for a service in which the service is provided in at least one communications network which transmits packets and/or packet streams in a packet-oriented manner as a function of Qualities of Service, use of the service is requested with a controller, and the controller allocates the Quality of Service for the requested use of the service as a function of the service and/or of the requested use of the service. A major advantage of the present invention is that the use of the service is requested rather than the allocation of a Quality of Service. The controller can thus allocate different Qualities of Service to the requested service, for example with a high Quality of Service if the transmission capacity in the communications network is sufficient, and with a low Quality of Service if the transmission capacity in the communications network is insufficient. Furthermore, the Quality of Service is advantageously allocated on a packet-stream-specific basis. This is a particular advantage if transmission with a guaranteed packet-stream-specific Quality of Service is not provided in the communications network.



According to an embodiment of the method according to the present invention, the use of the service is requested without stating the Quality of Service. There is, thus, no need to determine the Quality of Service when requesting use of the service.

5       According to another embodiment of the method according to the present invention, the service is in the form of transmission of information; in particular, voice information. In a further embodiment of the method, when the service is being used by the communications network, at least one packet stream which is allocated to the service is transmitted with the Quality of Service. The invention  
10       can, thus, preferably be used to satisfy particular Quality of Service requirements for the transmission of voice information via a packet-oriented communications network; in particular, an integrated voice/data network.

      According to another embodiment of the present invention, the controller checks whether the requested use of the service can be provided with the intended  
15       Quality of Service by the communications network. The check is then carried out by the controller and not by the communications network, thus relieving the load on the communications network.

      According to an embodiment of the method according to the present invention, the controller signals the Quality of Service of the packet stream to a  
20       network gateway device; before the network gateway device transmits the packet stream with its Quality of Service to the packet-oriented communications network. This advantageously leads to the packet stream being transmitted by the network gateway device with the allocated Quality of Service to the communications network.

25       According to another embodiment of the method according to the present invention, at least one acknowledgement of the signaled Quality of Service is required for the permissibility of the packet stream. This ensures that the packet stream is permissible only if the allocated Quality of Service can be transmitted. The signaling and subsequent acknowledgement of the Quality of Service can, thus,  
30       be integrated in the permissibility check, by which the permissibility check and the



allocation of the Quality of Service can be carried out as a unit, that is to say consistently.

According to another embodiment of the method according to the present invention, the Quality of Service is signaled with the aid of signaling packets. The  
5 signal then can be transmitted in the same way that the packet stream is transmitted.

According to a further embodiment of the method according to the present invention, at least one high Quality of Service and one low Quality of Service are provided in the communications network. In this case, the present invention provides for the packet streams with a high Quality of Service to be transmitted  
10 with priority by the network gateway device. Packet streams which are intended for transmitting information in realtime, that is to say with delay times that are as short as possible, can thus be transmitted with priority over packet streams which can transmit information with variable delay times. Examples of information which are transmitted with a high Quality of Service are voice or video telephony. Examples  
15 of information which are transmitted with a low Quality of Service are E-mail, files or Internet pages.

According to another embodiment of the method according to the present invention, a Quality of Service tag is provided in the packets in the data streams. In this case, the network gateway device transmits those packet streams which are to  
20 be transmitted by it with a high Quality of Service with a first Quality of Service tag which represents the high Quality of Service, and transmits the remaining packet streams with a second Quality of Service tag, which represents the low Quality of Service. Transmitting the allocated Quality of Service in the packets in the data stream thus makes it possible, by reading the Quality of Service tag in the  
25 transmission node in the communications network, to determine the allocated Quality of Service while the packet stream is being transmitted, thus making it unnecessary to store the allocated Quality of Service in the transmission nodes.

According to an embodiment of the method according to the present invention, the Quality of Service is produced on the basis of priorities, with the high  
30 Quality of Service being stated as the high priority and the low Quality of Service







provided in each case. The packets PA are used to transmit information INF which, for example, represents voice information V or data D. The communications networks KN are connected to one another via a network gateway device NE, with the Internet IN being connected by a first network gateway device NE (ED (1)) to the local area network L1 and by a second network gateway device NE (ED (2)) to the LAN L2, and with the network gateway device NE (ED (1)) in this case, for example, being in the form of a first edge device ED (1), and the network gateway device NE (ED (2)) being in the form of a second edge device ED (2). A first telephone T (1) and a first computer C (1) are also connected to the LAN L1, and a second telephone T (2) and a second computer C (2) are connected to the LAN L2, in both cases via network gateway devices NE which, for example, are in the form of plug-in cards K, electrical circuits ES or programs P. Voice information V is transmitted in voice packet streams STV between the two telephones T (1), T (2) - from the telephone T (1) to the telephone T (2) in a first packet stream ST1 and in the opposite direction in a second packet stream ST2 and data D is transmitted by a third packet stream ST3 from the computer C (1) to the computer C (2). At least in the Internet IN, the packets PA in this case have Quality of Service tags DK, which are in the form of Quality of Service tags HDK representing the high Quality of Service HD in the packets PA in the packet streams ST1, ST2, and are in the form of Quality of Service tags NDK which represent the low Quality of Service ND in the packets PA in the packet stream ST3. The Quality of Service tags DK are in this case, for example, in the form of priority tags PK. Furthermore, a controller SF is provided in each of the two LANs L1, L2 and, in accordance with the International VoIP Standard H.323, is in the form of a gatekeeper GK for controlling the transmission of voice information V, with a first gatekeeper GK (1) being arranged in the LAN L1 and a second gatekeeper GK (2) being arranged in the LAN L2, and with these gatekeepers being connected by network gateway devices NE to the respective LANs L1, L2. Signaling packets MP are interchanged between the gatekeepers GK and the edge devices ED, with first signaling packets M (1) being transmitted between the gatekeeper GK (1) and the network gateway device NE



(ED (1)), second signaling packets MP (2) optionally being transmitted between the network gateway devices NE (ED (1)), NE (ED (2)), and third signaling packets M (3) being transmitted between the gatekeeper GK (2) and the network gateway device NE (ED (2)). Furthermore, service use packets NP are transmitted between the telephones T and the gatekeepers GK, with first service use packets NP (1) being transmitted between the telephone T (1) and the gatekeeper GK (1), and second service use packets NP (2) being transmitted between the telephone T (2) and the gatekeeper GK (2).

By way of example, Figure 2 uses a flowchart to show the information interchange, which takes place when transmitting VoIP in accordance with VoIP Standards H.225 and H.245, between the end points EP which are in the form of telephones T (1) and T (2), the first gatekeeper GK (1) and the second gatekeeper GK (2), as well as the information interchange according to the present invention between the two gatekeepers GK (1), GK (2) and the two network gateway devices NE (ED (1)), NE (ED (2)), with signals M and acknowledgements B according to the present invention also being provided in accordance with VoIP Standards H.225 and H.245, in addition to the message interchange. In this case - preferably using the signaling packets MP (1) - a first signal M (11), a second signal M (12), a third signal M (13) and a fourth signal M (14) are transmitted from the gatekeeper GK (1) to the network gateway device NE (ED (1)), and a first acknowledgement B (11) is transmitted from the network gateway device NE (ED (1)) to the gatekeeper GK (1). Analogously - preferably with the signaling packets MP (3) - a fifth signal M (21), a sixth signal M (22), a seventh signal M (23) and an eighth signal M (24) are, according to the present invention, transmitted from the gatekeeper GK (2) to the network gateway device NE (ED (2)), and a second acknowledgement B (21) is transmitted from the network gateway device NE (ED (2)) to the gatekeeper GK (2).

For the exemplary embodiment, it is assumed that a number of Qualities of Service DG are provided, at least in the Internet IN, and are indicated to the Internet via the Quality of Service tag DK provided in the Internet packets IP. Furthermore,



data D is already being transmitted by the computer C (1) to the computer C (2) via the packet stream ST3 with the low Quality of Service ND. It is now also intended to transmit voice information V between the two end points EP, for example the telephones T (1), T (2), and this is intended to be done at least via the Internet IN using a high Quality of Service HD. To this end, once a telephone number which is structured in accordance with the International Standard E.164 has been entered, the telephone T (1) requests a connection to the telephone T (2). This is also referred to as call admission CA. During the first call admission CA (1), the telephone T (1) makes a request in the LAN L1 to transmit the packet stream ST1 to the telephone T (2), by the telephone T (1) sending a first admission request message ARQ (1) to the gatekeeper GK (1). The gatekeeper GK (1) then translates at least the telephone number to the Internet address of the telephone T (2). According to the present invention, the gatekeeper GK (1) also assigns the high Quality of Service HD to the packet stream ST1 and signals this to the network gateway device NE (ED (1)) via the signal M (11). For example, a transmission capacity of 64 kbps could be requested. The gatekeeper GK (1) then transmits a first admission confirmation message ACF (1) to the telephone T (1), and this can, optionally, be done as a function of the acknowledgement B (11) sent back as the response from the network gateway device NE (ED (1)) to the gatekeeper GK (1). The telephone T (1) then initiates the process of setting up a connection to the telephone T (2) by sending to the telephone T (2) a call set-up message CS in accordance with the internationally standardized monitoring protocol H.225. In this case, inter alia, the protocol and port number of the telephone T (1) are also signaled to the gatekeeper GK (1), and are signaled by the gatekeeper GK (1) to the network gateway device NE (ED (1)) using the signal M (12).

Since, owing to the bidirectional character of a voice connection, two voice packet streams STV - the packet stream ST1 for transmission of the voice information V from the telephone T (1) to the telephone T (2), and the packet stream ST2 for transmitting the voice information V from the telephone T (2) to the telephone T (1) - are required, the telephone T (2) requests the packet stream ST2,



once the call set-up message CS has been received. The packet stream ST2 is set up analogously to the setting up of the packet stream ST1. Following this, the telephone T (2) makes a second call admission CA (2), with the gatekeeper GK (2) signaling, once a second admission request message ARQ (2) has been received, the requested high Quality of Service HD to the network gateway device NE (ED (2)) via the signal M (21) according to the present invention. This could be acknowledged in an analogous manner using the acknowledgement B (21). The call admission CA is terminated by a second admission confirmation message ACF (2), following which the second telephone T (2) sends a connect message CO to the first telephone T (1). In order to complete the setting up of the connection, the protocol number and the port number of the telephone T (2) are signaled to the network gateway device NE (ED (2)) using the signal M (22). The voice information V is now transmitted with a high Quality of Service via the packet streams ST1, ST2 between the two telephones T (1), T (2); that is, the transmission takes place with priority over the transmission of the packet stream ST3 which is to be transmitted with the low Quality of Service ND.

After completion of the call, the telephone T (1), for example, initiates the clearing of the connection, also referred to as "End Session", by sending to the telephone T (2) a first call teardown message CT (1) in accordance with International Standard H.245. Once this message has been received, at the earliest, the gatekeeper GK (1) can signal the clearing of the connection to the network gateway device NE (ED (1)) via the signal M (13) following which the reserved high Quality of Service HD could be enabled by the network gateway device NE (ED (1)). Once the first call teardown message CT (1) has been received, the telephone T (2) likewise sends a second call teardown message CT (2), in response to which the gatekeeper GK (2) could also send the signal M (23) to the network gateway device NE (ED (2)). The signals M (13), M (23) contain, for example, the Internet addresses and port numbers of the two telephones T (1) and T (2), protocol numbers and/or the transmission capacities required by the voice packet streams STV. After receiving the call teardown message CT (2), the telephone T (1) sends a



release complete message RC, and then initiates a first call disengage CD (1), by transmitting a first disengage request message DRQ (1) to the gatekeeper GK (1). The gatekeeper GK (1) then uses the signal M (14) to signal to the network gateway device NE (ED (1)) the end of the transmission of the packet stream ST1, and the  
5 call disengage CD (1) is completed by sending a first disengage confirm message DCF (1). After receiving the release complete message RC, the telephone T (2) initiates a second call disengage CD (2) in an analogous manner by transmitting a second disengage request message DRQ (2) to the gatekeeper GK (2). The gatekeeper GK (2) then uses the signal M (24) to signal to the network gateway  
10 device NE (ED (2)) the end of the transmission of the packet stream ST2, and the call disengage CD (2) is completed by sending a second disengage confirm message DCF (2).

According to one variant of the present invention, the signaling packets MP (2) are used to signal the high Quality of Service HD of the packet stream ST1 to  
15 the network gateway device NE (ED (2)). The network gateway device NE (ED (2)) can then transmit the packet stream ST1 with priority; that is, both within the network gateway device NE (ED (2)) itself and, provided this is technically feasible in the LAN L2, by priority transmission to the LAN L2 and/or in the LAN L2.

According to a further variant of the present invention, the Qualities of  
20 Service DG are signaled to the network gateway devices NE (ED (1)), NE (ED (2)) and to the gatekeeper GK using a reservation protocol; for example, the reservation protocol RSVP.

Finally, it should be mentioned that the present invention is not restricted to an Internet IN, but can be used in any packet-oriented communications network KN  
25 with Qualities of Service DG. For example, use in local area networks L1, L2 is envisioned. This is indicated in Figure 1 by the fact that the controllers SF, the computers C (1), C (2) and the telephones T (1), T (2) likewise access the local area networks L1, L2 using network gateway devices NE, in which case configuration of the network gateway device NE according to the present invention via the  
30 controllers SF allows prioritized transmission, that is to say transmission carried out



with a high Quality of Service HD, of voice information V in the local area networks L1, L2.

Indeed, although the present invention has been described with reference to specific embodiments, those of skill in the art will recognize that changes may be  
5 made thereto without departing from the spirit and scope of the invention as set forth in the hereafter appended claims.

#### ABSTRACT OF THE DISCLOSURE

For a service which is provided in at least one communications network preferably an Internet with service classes - which transmits packets and/or packet  
10 streams on a packet-oriented basis as a function of Qualities of Service, use of a service is requested with a controller, and this controller allocates a Quality of Service for the requested use as a function of the service and/or of the requested use of the service. A VoIP service implemented in accordance with International Standard H.323 can thus be used with a required Quality of Service.

#### 15 In the Claims:

On page 14, cancel line 1, and substitute the following left-hand justified heading therefor:

#### CLAIMS

Please cancel claims 1-16, without prejudice, and substitute the following  
20 claims therefor:

17. A method for allocating a Quality of Service for a service, which is provided in at least one communications network which transmits at least one of packets and packet streams in a packet-oriented manner as a function of Qualities of Service, the method comprising the steps of:  
25 requesting, by a controller, use of the service; and  
allocating, via the controller, the Quality of Service for the requested use of the service as a function of at least one of the service and the requested use of the service.



18. A method for allocating a Quality of Service for a service as claimed in claim 17, wherein the use of the service is requested without stating the Quality of Service.

5 19. A method for allocating a Quality of Service for a service as claimed in claim 17, wherein the service is the transmission of voice information.

20. A method for allocating a Quality of Service for a service as claimed in claim 17, the method further comprising the step of:

10 checking, via the controller, whether the requested use of the service can be provided with the intended Quality of Service by the communications network.

21. A method for allocating a Quality of Service for a service as claimed in claim 17, wherein, when the service is used by the communications network, at  
15 least one packet stream which is allocated to the service is transmitted with the Quality of Service.

22. A method for allocating a Quality of Service for a service as claimed in claim 21, the method further comprising the steps of:

20 signaling, via the controller, the Quality of Service of the packet stream to at least one network gateway device; and

transmitting, via the network gateway device, the packet stream with the signaled Quality of Service to the communications network.

25 23. A method for allocating a Quality of Service for a service as claimed in claim 22, wherein the network gateway device is an edge device.

24. A method for allocating a Quality of Service for a service as claimed in claim 22, the method further comprising the step of:



requiring at least one acknowledgement of the signaled Quality of Service for the allocation of the Quality of Service.

25. A method for allocating a Quality of Service for a service as claimed  
5 in claim 22, wherein the Quality of Service is signaled using signaling packets.

26. A method for allocating a Quality of Service for a service as claimed  
in claim 22, the method further comprising the step of:

10 providing at least one high Quality of Service in at least one low Quality of Service in the communications network.

27. A method for allocating a Quality of Service for a service as claimed  
in claim 26, wherein packet streams with the high Quality of Service are transmitted  
with priority by the network gateway device.

15 28. A method for allocating a Quality of Service for a service as claimed  
in claim 22, the method further comprising the step of:  
providing a Quality of Service tag in the packets.

20 29. A method for allocating a Quality of Service for a service as claimed  
in claim 28, wherein the network gateway device transmits packet streams which  
are to be transmitted with a high Quality of Service with a first Quality of Service  
tag which represents the high Quality of Service, and transmits remaining packet  
streams with a second Quality of Service tag which represents the low Quality of  
25 Service.

30. A method for allocating a Quality of Service for a service as claimed  
in claim 29, the method further comprising the step of:



producing the Quality of Service on the basis of priorities, the high Quality of Service being high priority and the low Quality of Service being low priority, and the Quality of Service tag being a priority tag.

5           31.     A method for allocating a Quality of Service for a service as claimed in claim 17, wherein the packets are Internet packets.

10           32.     A method for allocating a Quality of Service for a service as claimed in claim 17, wherein the controller is a gate keeper in accordance with International Standard H.323.

#### **REMARKS**

15           The present amendment makes editorial changes and corrects typographical errors in the specification, which includes the Abstract, in order to conform the specification to the requirements of United States Patent Practice. No new matter is added thereby. Attached hereto is a marked-up version of the changes made to the specification by the present amendment. The attached page is captioned "**Version With Markings To Show Changes Made**".

20           In addition, the present amendment cancels original claims 1-16 in favor of new claims 17-32. Claims 17-32 have been presented solely because the revisions by crossing out and underlining which would have been necessary in claims 1-16 in order to present those claims in accordance with preferred United States Patent Practice would have been too extensive, and thus would have been too burdensome. The present amendment is intended for clarification purposes only and not for  
25           substantial reasons related to patentability pursuant to 35 U.S.C. §§103, 102, 103 or 112. Indeed, the cancellation of claims 1-16 does not constitute an intent on the part of the Applicants to surrender any of the subject matter of claims 1-16.



Early consideration on the merits is respectfully requested.

Respectfully submitted,



(Reg. No. 39,056)

William E. Vaughan  
Bell, Boyd & Lloyd LLC  
P.O. Box 1135  
Chicago, Illinois 60690-1135  
(312) 807-4292  
Attorneys for Applicants

5

10



Description

SPECIFICATION

TITLE OF THE INVENTION

Method for allocation of a Quality of Service for a packet stream

5 METHOD FOR ALLOCATION OF A QUALITY OF SERVICE FOR A PACKET  
STREAM

Modern packet-oriented networks, also referred to as "data networks", have  
until now been designed essentially for the transmission of packet streams, which  
are also referred to in the specialist world as "data packet streams". In this case,  
10 there is normally no need for any guaranteed transmission Quality of Service. The  
data packet streams are thus transmitted, for example, with fluctuating time delays;  
since the individual data packets in the data packet streams are normally transmitted  
in the sequence of their network access; that is to say, the time delays become  
greater the greater the number of packets to be transmitted by a data network. In the  
15 specialist world, transmission of data is, therefore, also referred to as a transmission  
service without any realtime conditions, or as a "non-realtime service".

In the course of convergence of line-oriented voice and packet-oriented data  
networks, realtime services, that is to say transmission services subject to the  
realtime conditions such as the transmission of voice or moving picture  
20 information, are likewise increasingly being provided in packet-oriented networks;  
~~that~~ That is to say the previously normal realtime services which were transmitted  
on a line-oriented basis are transmitted in a packet-oriented manner, ~~that is to say or~~  
in packet streams, in a convergent voice/data network. These are also referred to as  
"realtime packet streams". This results in the problem that a high Quality of Service  
25 is required for packet-oriented transmission of a realtime service whose quality is  
comparable to that when using line-oriented transmission. In particular, a minimal,  
for example < 200 ms, delay without any fluctuations in the delay time is important,  
since realtime services generally require a continuous information flow; and any  
loss of information, ~~for example~~ such as that resulting from packet losses, cannot be  
30 compensated for by transmitting the rejected packets once again. Since, in principle,



these Quality of Service requirements apply to all networks using packet-oriented transmission, they are independent of the specific configuration of a packet-oriented network. The packets may, in consequence, be in the form of Internet, x.25 or frame-relay packets, or ~~else may be~~ in the form of ATM cells.

5           In order to transmit voice and picture information via the packet-oriented Internet, also referred to as "VoIP" - the International ~~Standard~~ Standards (in particular, the H.323 Standard) contain proposed protocols for transmission through the Internet. In this case, the network is broken down into a number of "H.323 zones", in each of which "gatekeepers" are provided for

- 10       - converting E.164 telephone numbers to computer names and/or to their Internet addresses,
- permissibility checking for incoming and outgoing calls,
- management of transmission capacities, and
- registration of H.323 terminals.

15           Since, however, the present H.323 Standards do not include any guaranteed Qualities of Service for Internet transmission, the present VoIP technology has the disadvantage that the quality of voice and picture transmission decreases as the number of packets to be transmitted by the Internet rises. In this context, K. Nichols, "Differentiated Services Operational Model and Definitions", IETF

20   Draft, 1998 proposes that a number of service classes be introduced in the packet-oriented Internet, which previously did not guarantee any Qualities of Service. In this case, the individual packet streams are each allocated to a specific service class and are transmitted with high priority or low priority in comparison to packets in other service classes, depending on their service class, by the transmission nodes in

25   the Internet. The Quality of Service required for realtime services can, thus, be guaranteed, for example, by allocating the associated realtime packet streams to a service class which is transmitted with high priority by the nodes in the Internet - the realtime packet streams are thus prioritized over the data packet streams.

      In principle, network access monitoring is required at least for the

30   prioritized traffic for priority-controlled transmission, since the required Quality of



Service can be guaranteed only when the number of prioritized packets supplied to the network is not greater than the maximum number which can be transmitted by the network. To this end, network gateway devices - also referred to as "edge devices" - have been proposed for the Internet with a number of service classes, and these devices provide the network access monitoring. In this case, the edge devices can

- set priority tags in the packets depending on the priority of their packet streams,
- monitor priority tags of packet streams and correct them if necessary, if the packets are already tagged with priorities, and
- 10 - monitor the transmission capacity of prioritized packet streams.

Until now, there has been no control over the allocation of the Quality of Service; that is, to say there is a problem as to how Qualities of Service for the packet streams are requested, allocated and signaled to the edge devices before being transmitted. A method is known, in which a reservation protocol RSVP is used by each transmission node in a communications network, to request a Quality of Service required for the transmission of a packet stream, and in which the packet stream is not transmitted if at least one transmission node cannot provide the requested Quality of Service. In this case, the reservation protocol RSVP must be provided in each of the transmission nodes.

20 The present invention is thus ~~based on the object of~~ directed toward designing a method for allocation of a Quality of Service for the transmission of a packet stream via a packet-oriented communications network with service classes. ~~The object is achieved by the features of patent claim 1.~~

#### SUMMARY OF THE INVENTION

25 The A major aspect of the present invention is the allocation of a Quality of Service for a service in which the service is provided in at least one communications network which transmits packets and/or packet streams in a packet-oriented manner as a function of Qualities of Service, use of the service is requested with a controller, and the controller allocates the Quality of Service for 30 the requested use of the service as a function of the service and/or of the requested



use of the service. ~~The~~ A major advantage of the present invention is that the use of the service is requested rather than the allocation of a Quality of Service. The controller can thus allocate different Qualities of Service to the requested service, for example with a high Quality of Service if the transmission capacity in the communications network is sufficient, and with a low Quality of Service if the transmission capacity in the communications network is insufficient. Furthermore, the Quality of Service is advantageously allocated on a packet-stream-specific basis. This is a particular advantage if transmission with a guaranteed packet-stream-specific Quality of Service is not provided in the communications network.

According to ~~one refinement~~ an embodiment of the method according to the present invention, the use of the service is requested without stating the Quality of Service—~~claim 2~~. There is, thus, advantageously no need to determine the Quality of Service when requesting use of the service.

According to ~~a development~~ another embodiment of the method according to the present invention, the service is in the form of transmission of information; in particular, voice information —~~claim 3~~. In ~~accordance with one refinement~~ a further embodiment of the method ~~according to the invention~~, when the service is being used by the communications network, at least one packet stream which is allocated to the service is transmitted with the Quality of Service—~~claim 5~~. The invention can, thus, preferably be used to satisfy particular Quality of Service requirements for the transmission of voice information via a packet-oriented communications network; in particular, an integrated voice/data network.

According to ~~one variant of the method according to~~ another embodiment of the present invention, the controller checks whether the requested use of the service can be provided with the intended Quality of Service by the communications network—~~claim 4~~. The check is ~~thus~~ then carried out by the controller and not by the communications network, thus relieving the load on the communications network.

According to one ~~development~~ embodiment of the method according to the present invention, the controller signals the Quality of Service of the packet stream



to a network gateway device, before the network gateway device transmits the packet stream with its Quality of Service to the packet-oriented communications network —~~claim 6~~. This advantageously ~~means that~~ leads to the packet stream is being transmitted by the network gateway device with the allocated Quality of Service to the communications network.

According to ~~one development~~ another embodiment of the method according to the present invention, at least one acknowledgement of the signaled Quality of Service is required for the permissibility of the packet stream—~~claim 8~~. This ensures that the packet stream is permissible only if the allocated Quality of Service can be transmitted. The signaling and subsequent acknowledgement of the Quality of Service can, thus, be integrated in the permissibility check, by which ~~means~~ the permissibility check and the allocation of the Quality of Service can advantageously be carried out as a unit, that is to say consistently.

According to ~~one refinement~~ another embodiment of the method according to the present invention, the Quality of Service is signaled with the aid of signaling packets—~~claim 9~~. The signal then can thus advantageously be transmitted in the same way that the packet stream is transmitted.

According to ~~one refinement~~ a further embodiment of the method according to the present invention, at least one high Quality of Service and one low Quality of Service are provided in the communications network—~~claim 10~~. In this case, the present invention provides for the packet streams with a high Quality of Service to be transmitted with priority by the network gateway device —~~claim 11~~. Packet streams which are intended for transmitting information in realtime, that is to say with delay times that are as short as possible, can thus be transmitted with priority over packet streams which can transmit information with variable delay times. Examples of information which are transmitted with a high Quality of Service are voice or video telephony. Examples of information which are transmitted with a low Quality of Service are E-mail, files or Internet pages.

According to ~~one refinement~~ another embodiment of the method according to the present invention, a Quality of Service tag is provided in the packets in the



data streams—~~claim 12~~. In this case, the network gateway device transmits those packet streams which are to be transmitted by it with a high Quality of Service with a first Quality of Service tag which represents the high Quality of Service, and transmits the remaining packet streams with a second Quality of Service tag, which  
5 represents the low Quality of Service—~~claim 13~~. Transmitting the allocated Quality of Service in the packets in the data stream thus makes it possible, by reading the Quality of Service tag in the transmission node in the communications network, to determine the allocated Quality of Service while the packet stream is being transmitted, thus making it unnecessary to store the allocated Quality of Service in  
10 the transmission nodes.

According to ~~one development~~ an embodiment of the method according to the present invention, the Quality of Service is ~~produces~~ produced on the basis of priorities, with the high Quality of Service being stated as the high priority and the low Quality of Service being stated as the low priority, and the Quality of Service  
15 tag has been stated as the priority tag —~~claim 14~~. The prioritized transmission of the packet streams with a high Quality of Service can thus be achieved in a simple manner ~~by means of~~ via known mechanisms for priority control.

According to ~~one refinement~~ yet another embodiment of the method according to the present invention, the network gateway device is in the form of an  
20 edge device —~~claim 7~~—, the packets are in the form of Internet packets —~~claim 15~~—, and the controller is in the form of a gatekeeper in accordance with International Standard H.323 —~~claim 16~~. The method according to the present invention then can ~~thus~~ advantageously be introduced into the existing infrastructure of a modern Internet. Furthermore, the Quality of Service can be allocated as a function of the  
25 permissibility check by the gatekeeper.

Additional features and advantages of the present invention are described in, and will be apparent from, the following Detailed Description of the Invention and the Figures.

~~The method according to the invention will be explained in more detail in the~~  
30 ~~following text with reference to two figures, in which:~~



## BRIEF DESCRIPTION OF THE FIGURES

Figure 1 shows a block diagram relating to the transmission, ~~according to the invention,~~ of prioritized packet streams via a communications network with Qualities of Service, ~~and in accordance with the teachings of the present invention.~~

5        Figure 2 uses a flowchart to show the integration of the method according to the present invention in a transmission in accordance with International Standards H.323, H.225 and H.245.

## DETAILED DESCRIPTION OF THE INVENTION

By way of example, Figure 1 shows three communications networks KN  
10        which, for example, are in the form of packet-oriented, convergent voice/data networks. In this case, the first communications network KN (1) is referred to as the first local area network LAN L1, the second communications network KN (2) is the Internet IN, and the third communications network KN (3) is a second LAN L2. Packet streams ST which ~~comprise~~ include a sequence of packets PA can be  
15        transmitted in the communications networks KN as a function of the Qualities of Service DG with at least one high Quality of Service HD and one low Quality of Service ND ~~in each case~~ being provided in each case. The packets PA are used to transmit information INF which, for example, represents voice information V or data D. The communications networks KN are connected to one another ~~by means~~  
20        ~~of~~ via a network gateway device NE, with the Internet IN being connected by a first network gateway device NE (ED (1)) to the local area network L1 and by a second network gateway device NE (ED (2)) to the LAN L2, and with the network gateway device NE (ED (1)) in this case, for example, being in the form of a first edge device ED (1), and the network gateway device NE (ED (2)) being in the form of a  
25        second edge device ED (2). A first telephone T (1) and a first computer C (1) are also connected to the LAN L1, and a second telephone T (2) and a second computer C (2) are connected to the LAN L2, in both cases via network gateway devices NE which, for example, are in the form of plug-in cards K, electrical circuits ES or programs P. Voice information V is transmitted in voice packet streams STV  
30        between the two telephones T (1), T (2) - from the telephone T (1) to the telephone



T (2) in a first packet stream ST1 and in the opposite direction in a second packet stream ST2, and data D is transmitted by a third packet stream ST3 from the computer C (1) to the computer C (2). At least in the Internet IN, the packets PA in this case have Quality of Service tags DK, which are in the form of Quality of Service tags HDK representing the high Quality of Service HD in the packets PA in the packet streams ST1, ST2, and are in the form of Quality of Service tags NDK which represent the low Quality of Service ND in the packets PA in the packet stream ST3. The Quality of Service tags DK are in this case, for example, in the form of priority tags PK. Furthermore, a controller SF is provided in each of the two LANs L1, L2 and, in accordance with the International VoIP Standard H.323, is in the form of a gatekeeper GK for controlling the transmission of voice information V, with a first gatekeeper GK (1) being arranged in the LAN L1 and a second gatekeeper GK (2) being arranged in the LAN L2, and with these gatekeepers being connected by network gateway devices NE to the respective LANs L1, L2.

Signaling packets MP are interchanged between the gatekeepers GK and the edge devices ED, with first signaling packets M (1) being transmitted between the gatekeeper GK (1) and the network gateway device NE (ED (1)), second signaling packets MP (2) optionally being transmitted between the network gateway devices NE (ED (1)), NE (ED (2)), and third signaling packets M (3) being transmitted between the gatekeeper GK (2) and the network gateway device NE (ED (2)).

Furthermore, service use packets NP are transmitted between the telephones T and the gatekeepers GK, with first service use packets NP (1) being transmitted between the telephone T (1) and the gatekeeper GK (1), and second service use packets NP (2) being transmitted between the telephone T (2) and the gatekeeper GK (2).

By way of example, Figure 2 uses a flowchart to show the information interchange, which takes place when transmitting VoIP in accordance with VoIP Standards H.225 and H.245, between the end points EP which are in the form of telephones T (1) and T (2), the first gatekeeper GK (1) and the second gatekeeper GK (2), as well as the information interchange according to the present invention between the two gatekeepers GK (1), GK (2) and the two network gateway devices



NE (ED (1)), NE (ED (2)), with signals M and acknowledgements B according to the present invention also being provided in accordance with VoIP Standards H.225 and H.245, in addition to the message interchange. In this case - preferably using the signaling packets MP (1) - a first signal M (11), a second signal M (12), a third  
5 signal M (13) and a fourth signal M (14) are transmitted from the gatekeeper GK (1) to the network gateway device NE (ED (1)), and a first acknowledgement B (11) is transmitted from the network gateway device NE (ED (1)) to the gatekeeper GK (1). Analogously - preferably with the signaling packets MP (3) - a fifth signal M (21), a sixth signal M (22), a seventh signal M (23) and an eighth signal M (24) are,  
10 according to the present invention, transmitted from the gatekeeper GK (2) to the network gateway device NE (ED (2)), and a second acknowledgement B (21) is transmitted from the network gateway device NE (ED (2)) to the gatekeeper GK (2).

For the exemplary embodiment, it is assumed that a number of Qualities of  
15 Service DG are provided, at least in the Internet IN, and are indicated to the Internet ~~by means of~~ via the Quality of Service tag DK provided in the Internet packets IP. Furthermore, data D is already being transmitted by the computer C (1) to the computer C (2) ~~by means of~~ via the packet stream ST3 with the low Quality of Service ND. It is now also intended to transmit voice information V between the  
20 two end points EP, for example the telephones T (1), T (2), and this is intended to be done at least via the Internet IN using a high Quality of Service HD. To this end, once a telephone number which is structured in accordance with the International Standard E.164 has been entered, the telephone T (1) requests a connection to the telephone T (2). This is also referred to as call admission CA. During the first call  
25 admission CA (1), the telephone T (1) makes a request in the LAN L1 to transmit the packet stream ST1 to the telephone T (2), by the telephone T (1) sending a first admission request message ARQ (1) to the gatekeeper GA (1). The gatekeeper GK (1) then translates at least the telephone number to the Internet address of the telephone T (2). According to the present invention, the gatekeeper GK (1) also  
30 assigns the high Quality of Service HD to the packet stream ST1 and signals this to



the network gateway device NE (ED (1)) ~~by means of~~ via the signal M (11). For example, a transmission capacity of 64 kbps could be requested. The gatekeeper GK (1) then transmits a first admission confirmation message ACF (1) to the telephone T (1), and this can, optionally, be done as a function of the

5 acknowledgement B (11) sent back as the response from the network gateway device NE (ED (1)) to the gatekeeper GK (1). The telephone T (1) then initiates the process of setting up a connection to the telephone T (2) by sending to the telephone T (2) a call set-up message CS in accordance with the internationally standardized monitoring protocol H.225. In this case, inter alia, the protocol and port number of  
10 the telephone T (1) are also signaled to the gatekeeper GK (1), and are signaled by the gatekeeper GK (1) to the network gateway device NE (ED (1)) using the signal M (12).

Since, owing to the bidirectional character of a voice connection, two voice packet streams STV - the packet stream ST1 for transmission of the voice  
15 information V from the telephone T (1) to the telephone T (2), and the packet stream ST2 for transmitting the voice information V from the telephone T (2) to the telephone T (1) - are required, the telephone T (2) requests the packet stream ST2, once the call set-up message CS has been received. The packet stream ST2 is set up analogously to the setting up of the packet stream ST1. Following this, the  
20 telephone T (2) makes a second call admission CA (2), with the gatekeeper GK (2) signaling, once a second admission request message ARQ (2) has been received, the requested high Quality of Service HD to the network gateway device NE (ED (2)) ~~by means of~~ via the signal M (21) according to the invention. This could be acknowledged in an analogous manner using the acknowledgement B (21). The call  
25 admission CA is terminated by a second admission confirmation message ACF (2), following which the second telephone T (2) sends a connect message CO to the first telephone T (1). In order to complete the setting up of the connection, the protocol number and the port number of the telephone T (2) are signaled to the network gateway device NE (ED (2)) using the signal M (22). The voice information V is  
30 now transmitted with a high Quality of Service by means of the packet streams ST1,



ST2 between the two telephones T (1), T (2); that is, to say the transmission takes place with priority over the transmission of the packet stream ST3 which is to be transmitted with the low Quality of Service ND.

After completion of the call, the telephone T (1), for example, initiates the clearing of the connection, also referred to as "End Session", by sending to the telephone T (2) a first call teardown message CT (1) in accordance with International Standard H.245. Once this message has been received, at the earliest, the gatekeeper GK (1) can signal the clearing of the connection to the network gateway device NE (ED (1)) ~~by means of~~ via the signal M (13) following which the reserved high Quality of Service HD could be enabled by the network gateway device NE (ED (1)). Once the first call teardown message CT (1) has been received, the telephone T (2) likewise sends a second call teardown message CT (2), in response to which the gatekeeper GK (2) could also send the signal M (23) to the network gateway device NE (ED (2)). The signals M (13), M (23) contain, for example, the Internet addresses and port numbers of the two telephones T (1) and T (2), protocol numbers and/or the transmission capacities required by the voice packet streams STV. After receiving the call teardown message CT (2), the telephone T (1) sends a release complete message RC, and then initiates a first call disengage CD (1), by transmitting a first disengage request message DRQ (1) to the gatekeeper GK (1). The gatekeeper GK (1) then uses the signal M (14) to signal to the network gateway device NE (ED (1)) the end of the transmission of the packet stream ST1, and the call disengage CD (1) is completed by sending a first disengage confirm message DCF (1). After receiving the release complete message RC, the telephone T (2) initiates a second call disengage CD (2) in an analogous manner, by transmitting a second disengage request message DRQ (2) to the gatekeeper GK (2). The gatekeeper GK (2) then uses the signal M (24) to signal to the network gateway device NE (ED (2)) the end of the transmission of the packet stream ST2, and the call disengage CD (2) is completed by sending a second disengage confirm message DCF (2).



According to one variant of the present invention, the signaling packets MP (2) are used to signal the high Quality of Service HD of the packet stream ST1 to the network gateway device NE (ED (2)). The network gateway device NE (ED (2)) can thus advantageously ~~then~~ transmit the packet stream ST1 with priority; that is,   
5 ~~to say~~ both within the network gateway device NE (ED (2)) itself and, provided this is technically feasible in the LAN L2, by priority transmission to the LAN L2 and/or in the LAN L2.

According to a further variant of the present invention, the Qualities of Service DG are signaled to the network gateway devices NE (ED (1)), NE (ED (2))   
10 and to the gatekeeper GK using a reservation protocol; for example, the reservation protocol RSVP.

Finally, it should be mentioned that the present invention is not restricted to an Internet IN, but can be used in any packet-oriented communications network KN with Qualities of Service DG. For example, use in local area networks L1, L2 is   
15 ~~envisaged~~ envisioned. This is indicated in ~~figure~~ Figure 1 by the fact that the controllers SF, the computers C (1), C (2) and the telephones T (1), T (2) likewise access the local area networks L1, L2 using network gateway devices NE, in which case configuration of the network gateway device NE according to the present invention ~~by means of~~ via the controllers SF allows prioritized transmission, that is   
20 to say transmission carried out with a high Quality of Service HD, of voice information V in the local area networks L1, L2.

Indeed, although the present invention has been described with reference to specific embodiments, those of skill in the art will recognize that changes may be made thereto without departing from the spirit and scope of the invention as set   
25 forth in the hereafter appended claims.



## Abstract

### ABSTRACT OF THE DISCLOSURE

#### ~~Method for allocation of a Quality of Service for a packet stream~~

- For a service which is provided in at least one communications network ~~KN~~
- 5 preferably an Internet with service classes - which transmits packets ~~PA~~ and/or packet streams ~~ST~~ on a packet-oriented basis as a function of Qualities of Service ~~DG~~, use ~~NU~~ of the ~~a~~ service ~~DI~~ is requested with a controller ~~SF~~, and this controller ~~SF~~ allocates a Quality of Service ~~DG~~ for the requested use ~~NU~~ as a function of the service ~~DI~~ and/or of the requested use ~~NU~~ of the service ~~DI~~. A VoIP service
- 10 implemented in accordance with International Standard H.323 can thus be used with a required Quality of Service.

Figure 1



Patent Claims

1. A method for allocation of a Quality of Service (DG) for a service (DI), which is provided in at least one communications network (KN) which transmits packets (PA) and/or packet streams (ST) in a packet-oriented manner as a function of Qualities of Service (DG), having the following steps:
- 5
- 10 - use (NU) of the service (DI) is requested with a controller (SF),
- 15 - the controller (SF) allocates the Quality of Service (DG) for the requested use (NU) of the service (DI) as a function of the service (DI) and/or of the requested use (NU) of the service (DI).

AMENDED SHEET



2/10/85

09/936488

GR 99 P 1395

JC03 Rec'd FTT 7D 10 SEP 2001

- 1 -

## Description

Method for allocation of a Quality of Service for a packet stream

5

Modern packet-oriented networks - also referred to as "data networks", - have until now been designed essentially for the transmission of packet streams, which are also referred to in the specialist world as "data packet streams". In this case, there is normally no need for any guaranteed transmission Quality of Service. The data packet streams are thus transmitted, for example, with fluctuating time delays, since the individual data packets in the data packet streams are normally transmitted in the sequence of their network access, that is to say the time delays become greater the greater the number of packets to be transmitted by a data network. In the specialist world, transmission of data is therefore also referred to as a transmission service without any realtime conditions, or as a "non-realtime service".

In the course of convergence of line-oriented voice and packet-oriented data networks, realtime services, that is to say transmission services subject to the realtime conditions such as the transmission of voice or moving picture information, are likewise increasingly being provided in packet-oriented networks, that is to say the previously normal realtime services which were transmitted on a line-oriented basis are transmitted in a packet-oriented manner, that is to say in packet streams, in a convergent voice/data network. These are also referred to as "realtime packet streams". This results in the problem that a high Quality of Service is required for packet-oriented transmission of a realtime service whose quality is comparable to that when using line-oriented transmission. In particular, a minimal - for example < 200 ms - delay without any



fluctuations in the delay time is important, since realtime services generally require a continuous information flow, and any loss of information, for example resulting from packet



losses, cannot be compensated for by transmitting the rejected packets once again. Since, in principle, these Quality of Service requirements apply to all networks using packet-oriented transmission, they are independent of the specific configuration of a packet-oriented network. The packets may, in consequence, be in the form of Internet, x.25 or frame-relay packets, or else may be in the form of ATM cells.

- 10 In order to transmit voice and picture information via the packet-oriented Internet - also referred to as "VoIP" - the International Standard - in particular the H.323 Standard - contain proposed protocols for transmission through the Internet. In this case, the network is broken down into a number of "H.323 zones", in each of which "gatekeepers" are provided for
- converting E.164 telephone numbers to computer names and/or to their Internet addresses,
  - permissibility checking for incoming and outgoing
  - 20 calls
  - management of transmission capacities
  - registration of H.323 terminals.

Since, however, the present H.323 Standards do not include any guaranteed Qualities of Service for Internet transmission, the present VoIP technology has the disadvantage that the quality of voice and picture transmission decreases as the number of packets to be transmitted by the Internet rises. In this context, K. Nichols, "Differentiated Services Operational Model and Definitions", IETF Draft, 1998 proposes that a number of service classes be introduced in the packet-oriented Internet, which previously did not guarantee any Qualities of Service. In this case, the individual packet streams are each allocated to a specific service class and are transmitted with high priority or low priority in comparison to packets in other service classes, depending on their service class, by the



transmission nodes in the Internet. The Quality of Service required for realtime services can thus be guaranteed, for example, by



allocating the associated realtime packet streams to a service class which is transmitted with high priority by the nodes in the Internet - the realtime packet streams are thus prioritized over the data packet  
5 streams.

In principle, network access monitoring is required at least for the prioritized traffic for priority-controlled transmission, since the required Quality of  
10 Service can be guaranteed only when the number of prioritized packets supplied to the network is not greater than the maximum number which can be transmitted by the network. To this end, network gateway devices - also referred to as "edge devices" -  
15 have been proposed for the Internet with a number of service classes, and these devices provide the network access monitoring. In this case, the edge devices can  
- set priority tags in the packets depending on the priority of their packet streams  
20 - monitor priority tags of packet streams and correct them if necessary, if the packets are already tagged with priorities, and  
- monitor the transmission capacity of prioritized packet streams.

25 Until now, there has been no control over the allocation of the Quality of Service, that is to say there is a problem as to how Qualities of Service for the packet streams are requested, allocated and  
30 signaled to the edge devices before being transmitted. A method is known, in which a reservation protocol RSVP is used by each transmission node in a communications network to request a Quality of Service required for the transmission of a packet stream, and in which the  
35 packet stream is not transmitted if at least one transmission node cannot provide the requested Quality of Service. In this case, the reservation protocol RSVP must be provided in each of the transmission nodes.



The invention is thus based on the object of designing  
a method for allocation of a Quality of Service for the  
transmission of a packet stream via a packet-oriented  
5 communications network with

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220  
2221  
2222  
2223  
2224  
2225



service classes. The object is achieved by the features of patent claim 1.

5 The major aspect of the invention is the allocation of a Quality of Service for a service in which the service is provided in at least one communications network which transmits packets and/or packet streams in a packet-oriented manner as a function of Qualities of Service, use of the service is requested with a  
10 controller, and the controller allocates the Quality of Service for the requested use of the service as a function of the service and/or of the requested use of the service. The major advantage of the invention is that the use of the service is requested rather than  
15 the allocation of a Quality of Service. The controller can thus allocate different Qualities of Service to the requested service, for example with a high Quality of Service if the transmission capacity in the communications network is sufficient, and with a low  
20 Quality of Service if the transmission capacity in the communications network is insufficient. Furthermore, the Quality of Service is advantageously allocated on a packet-stream-specific basis. This is a particular advantage if transmission with a guaranteed packet-stream-specific Quality of Service is not provided in  
25 the communications network.

According to one refinement of the method according to the invention, the use of the service is requested  
30 without stating the Quality of Service - claim 2. There is thus advantageously no need to determine the Quality of Service when requesting use of the service.

According to a development of the method according to  
35 the invention, the service is in the form of transmission of information, in particular voice information - claim 3. In accordance with one refinement of the method according to the invention,



when the service is being used by the communications network, at least one packet stream which is allocated to the service is transmitted with the Quality of Service - claim 5. The invention can thus preferably

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220  
2221  
2222  
2223  
2224  
2225  
2



be used to satisfy particular Quality of Service requirements for the transmission of voice information via a packet-oriented communications network, in particular an integrated voice/data network.

5

According to one variant of the method according to the invention, the controller checks whether the requested use of the service can be provided with the intended Quality of Service by the communications network -  
10 claim 4. The check is thus carried out by the controller and not by the communications network, thus relieving the load on the communications network.

According to one development of the method according to  
15 the invention, the controller signals the Quality of Service of the packet stream to a network gateway device, before the network gateway device transmits the packet stream with its Quality of Service to the packet-oriented communications network - claim 6. This  
20 advantageously means that the packet stream is transmitted by the network gateway device with the allocated Quality of Service to the communications network.

25 According to one development of the method according to the invention, at least one acknowledgement of the signaled Quality of Service is required for the permissibility of the packet stream - claim 8. This ensures that the packet stream is permissible only if  
30 the allocated Quality of Service can be transmitted. The signaling and subsequent acknowledgement of the Quality of Service can thus be integrated in the permissibility check, by which means the permissibility check and the allocation of the Quality of Service can  
35 advantageously be carried out as a unit, that is to say consistently.



According to one refinement of the method according to the invention, the Quality of Service is signaled with the aid of signaling packets - claim 9. The signal can thus

signaled with the aid of signaling packets - claim 9. The signal can thus



advantageously be transmitted in the same way that the packet stream is transmitted.

According to one refinement of the method according to  
5 the invention, at least one high Quality of Service and  
one low Quality of Service are provided in the  
communications network - claim 10. In this case, the  
invention provides for the packet streams with a high  
Quality of Service to be transmitted with priority by  
10 the network gateway device - claim 11. Packet streams  
which are intended for transmitting information in  
realtime, that is to say with delay times that are as  
short as possible, can thus be transmitted with  
priority over packet streams which can transmit  
15 information with variable delay times. Examples of  
information which are transmitted with a high Quality  
of Service are voice or video telephony. Examples of  
information which are transmitted with a low Quality of  
Service are E-mail, files or Internet pages.

20  
According to one refinement of the method according to  
the invention, a Quality of Service tag is provided in  
the packets in the data streams - claim 12. In this  
case, the network gateway device transmits those packet  
25 streams which are to be transmitted by it with a high  
Quality of Service with a first Quality of Service tag  
which represents the high Quality of Service, and  
transmits the remaining packet streams with a second  
Quality of Service tag, which represents the low  
30 Quality of Service - claim 13. Transmitting the  
allocated Quality of Service in the packets in the data  
stream thus makes it possible, by reading the Quality  
of Service tag in the transmission node in the  
communications network, to determine the allocated  
35 Quality of Service while the packet stream is being  
transmitted, thus making it unnecessary to store the  
allocated Quality of Service in the transmission nodes.



According to one development of the method according to the invention, the Quality of Service is produces on the basis of priorities, with the high Quality of Service being stated as the high priority and the



low Quality of Service being stated as the low priority, and the Quality of Service tag has been stated as the priority tag - claim 14. The prioritized transmission of the packet streams with a high Quality  
5 of Service can thus be achieved in a simple manner by means of known mechanisms for priority control.

According to one refinement of the method according to the invention, the network gateway device is in the  
10 form of an edge device - claim 7 -, the packets are in the form of Internet packets - claim 15 -, and the controller is in the form of a gatekeeper in accordance with International Standard H.323 - claim 16. The method according to the invention can thus  
15 advantageously be introduced into the existing infrastructure of a modern Internet. Furthermore, the Quality of Service can be allocated as a function of the permissibility check by the gatekeeper.

20 The method according to the invention will be explained in more detail in the following text with reference to two figures, in which:

Figure 1 shows a block diagram relating to the  
25 transmission, according to the invention, of prioritized packet streams via a communications network with Qualities of Service, and

30 Figure 2 uses a flowchart to show the integration of the method according to the invention in a transmission in accordance with International Standards H.323, H.225 and H.245.

35 By way of example, Figure 1 shows three communications networks KN which, for example, are in the form of packet-oriented, convergent voice/data networks. In this case, the first communications network KN (1) is



referred to as the first local area network LAN L1, the second communications network KN (2) is the Internet IN, and the third communications network KN (3) is a second LAN L2. Packet streams ST which comprise a  
5 sequence of packets PA can be transmitted in the communications networks KN as a



function of the Qualities of Service DG with at least one high Quality of Service HD and one low Quality of Service ND in each case being provided. The packets PA are used to transmit information INF which, for example, represents voice information V or data D. The communications networks KN are connected to one another by means of a network gateway device NE, with the Internet IN being connected by a first network gateway device NE (ED (1)) to the local area network L1 and by a second network gateway device NE (ED (2)) to the LAN L2, and with the network gateway device NE (ED (1)) in this case, for example, being in the form of a first edge device ED (1), and the network gateway device NE (ED (2)) being in the form of a second edge device ED (2). A first telephone T (1) and a first computer C (1) are also connected to the LAN L1, and a second telephone T (2) and a second computer C (2) are connected to the LAN L2, in both cases via network gateway devices NE which, for example, are in the form of plug-in cards K, electrical circuits ES or programs P. Voice information V is transmitted in voice packet streams STV between the two telephones T (1), T (2) - from the telephone T (1) to the telephone T (2) in a first packet stream ST1 and in the opposite direction in a second packet stream ST2, - and data D is transmitted by a third packet stream ST3 from the computer C (1) to the computer C (2). At least in the Internet IN, the packets PA in this case have Quality of Service tags DK, which are in the form of Quality of Service tags HDK representing the high Quality of Service HD in the packets PA in the packet streams ST1, ST2, and are in the form of Quality of Service tags NDK which represent the low Quality of Service ND in the packets PA in the packet stream ST3. The Quality of Service tags DK are in this case, for example, in the form of priority tags PK. Furthermore, a controller SF is provided in each of the two LANs L1, L2 and, in



[illegible]



L1, L2. Signaling packets MP are interchanged between the gatekeepers GK and the edge devices ED, with first signaling packets M (1) being transmitted between the gatekeeper GK (1) and the network gateway device NE (ED (1)), second signaling packets MP (2) optionally being transmitted between the network gateway devices NE (ED (1)), NE (ED (2)), and third signaling packets M (3) being transmitted between the gatekeeper GK (2) and the network gateway device NE (ED (2)). Furthermore, service use packets NP are transmitted between the telephones T and the gatekeepers GK, with first service use packets NP (1) being transmitted between the telephone T (1) and the gatekeeper GK (1), and second service use packets NP (2) being transmitted between the telephone T (2) and the gatekeeper GK (2).

By way of example, Figure 2 uses a flowchart to show the information interchange, which takes place when transmitting VoIP in accordance with VoIP Standards H.225 and H.245, between the end points EP which are in the form of telephones T (1) and T (2), the first gatekeeper GK (1) and the second gatekeeper GK (2), as well as the information interchange according to the invention between the two gatekeepers GK (1), GK (2) and the two network gateway devices NE (ED (1)), NE (ED (2)), with signals M and acknowledgements B according to the invention also being provided in accordance with VoIP Standards H.225 and H.245, in addition to the message interchange. In this case - preferably using the signaling packets MP (1) - a first signal M (11), a second signal M (12), a third signal M (13) and a fourth signal M (14) are transmitted from the gatekeeper GK (1) to the network gateway device NE (ED (1)), and a first acknowledgement B (11) is transmitted from the network gateway device NE (ED (1)) to the gatekeeper GK (1). Analogously - preferably with the signaling packets MP (3) - a fifth signal M (21), a



sixth signal M (22), a seventh signal M (23) and an eighth signal M (24) are, according to the invention, transmitted from the gatekeeper GK (2) to the network gateway device NE (ED (2)), and a second  
5 acknowledgement B (21) is transmitted

10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220



from the network gateway device NE (ED (2)) to the gatekeeper GK (2).

For the exemplary embodiment, it is assumed that a  
5 number of Qualities of Service DG are provided, at least in the Internet IN, and are indicated to the Internet by means of the Quality of Service tag DK provided in the Internet packets IP. Furthermore, data D is already being transmitted by the computer C (1) to  
10 the computer C (2) by means of the packet stream ST3 with the low Quality of Service ND. It is now also intended to transmit voice information V between the two end points EP, for example the telephones T (1), T (2), and this is intended to be done at least via the  
15 Internet IN using a high Quality of Service HD. To this end, once a telephone number which is structured in accordance with the International Standard E.164 has been entered, the telephone T (1) requests a connection to the telephone T (2). This is also referred to as  
20 call admission CA. During the first call admission CA (1), the telephone T (1) makes a request in the LAN L1 to transmit the packet stream ST1 to the telephone T (2), by the telephone T (1) sending a first admission request message ARQ (1) to the gatekeeper GA (1). The  
25 gatekeeper GK (1) then translates at least the telephone number to the Internet address of the telephone T (2). According to the invention, the gatekeeper GK (1) also assigns the high Quality of Service HD to the packet stream ST1 and signals this to  
30 the network gateway device NE (ED (1)) by means of the signal M (11). For example, a transmission capacity of 64 kbps could be requested. The gatekeeper GK (1) then transmits a first admission confirmation message ACF (1) to the telephone T (1), and this can optionally be  
35 done as a function of the acknowledgement B (11) sent back as the response from the network gateway device NE (ED (1)) to the gatekeeper GK (1). The telephone T (1)



5 In this case, inter alia, the



protocol and port number of the telephone T (1) are also signaled to the gatekeeper GK (1), and are signaled by the gatekeeper GK (1) to the network gateway device NE (ED (1)) using the signal M (12).

5

Since, owing to the bidirectional character of a voice connection, two voice packet streams STV - the packet stream ST1 for transmission of the voice information V from the telephone T (1) to the telephone T (2), and the packet stream ST2 for transmitting the voice information V from the telephone T (2) to the telephone T (1) - are required, the telephone T (2) requests the packet stream ST2, once the call set-up message CS has been received. The packet stream ST2 is set up analogously to the setting up of the packet stream ST1. Following this, the telephone T (2) makes a second call admission CA (2), with the gatekeeper GK (2) signaling, once a second admission request message ARQ (2) has been received, the requested high Quality of Service HD to the network gateway device NE (ED (2)) by means of the signal M (21) according to the invention. This could be acknowledged in an analogous manner using the acknowledgement B (21). The call admission CA is terminated by a second admission confirmation message ACF (2), following which the second telephone T (2) sends a connect message CO to the first telephone T (1). In order to complete the setting up of the connection, the protocol number and the port number of the telephone T (2) are signaled to the network gateway device NE (ED (2)) using the signal M (22). The voice information V is now transmitted with a high Quality of Service by means of the packet streams ST1, ST2 between the two telephones T (1), T (2), that is to say the transmission takes place with priority over the transmission of the packet stream ST3 which is to be transmitted with the low Quality of Service ND.

35



After completion of the call, the telephone T (1), for example, initiates the clearing of the connection, also referred to as "End Session", by sending to the telephone T (2) a first call teardown message CT (1) in  
5 accordance with International

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220  
2221



Standard H.245. Once this message has been received, at the earliest, the gatekeeper GK (1) can signal the clearing of the connection to the network gateway device NE (ED (1)) by means of the signal M (13) following which the reserved high Quality of Service HD could be enabled by the network gateway device NE (ED (1)). Once the first call teardown message CT (1) has been received, the telephone T (2) likewise sends a second call teardown message CT (2), in response to which the gatekeeper GK (2) could also send the signal M (23) to the network gateway device NE (ED (2)). The signals M (13), M (23) contain, for example, the Internet addresses and port numbers of the two telephones T (1) and T (2), protocol numbers and/or the transmission capacities required by the voice packet streams STV. After receiving the call teardown message CT (2), the telephone T (1) sends a release complete message RC, and then initiates a first call disengage CD (1), by transmitting a first disengage request message DRQ (1) to the gatekeeper GK (1). The gatekeeper GK (1) then uses the signal M (14) to signal to the network gateway device NE (ED (1)) the end of the transmission of the packet stream ST1, and the call disengage CD (1) is completed by sending a first disengage confirm message DCF (1). After receiving the release complete message RC, the telephone T (2) initiates a second call disengage CD (2) in an analogous manner, by transmitting a second disengage request message DRQ (2) to the gatekeeper GK (2). The gatekeeper GK (2) then uses the signal M (24) to signal to the network gateway device NE (ED (2)) the end of the transmission of the packet stream ST2, and the call disengage CD (2) is completed by sending a second disengage confirm message DCF (2).

35

According to one variant of the invention, the signaling packets MP (2) are used to signal the high Quality of Service HD of the packet stream ST1 to the



network gateway device NE (ED (2)). The network gateway device NE (ED (2)) can thus advantageously



transmit the packet stream ST1 with priority, that is to say both within the network gateway device NE (ED (2)) itself and, provided this is technically feasible in the LAN L2, by priority transmission to the LAN L2 and/or in the LAN L2.

According to a further variant of the invention, the Qualities of Service DG are signaled to the network gateway devices NE (ED (1)), NE (ED (2)) and to the gatekeeper GK using a reservation protocol, for example the reservation protocol RSVP.

Finally, it should be mentioned that the invention is not restricted to an Internet IN, but can be used in any packet-oriented communications network KN with Qualities of Service DG. For example, use in local area networks L1, L2 is envisaged. This is indicated in figure 1 by the fact that the controllers SF, the computers C (1), C (2) and the telephones T (1), T (2) likewise access the local area networks L1, L2 using network gateway devices NE, in which case configuration of the network gateway device NE according to the invention by means of the controllers SF allows prioritized transmission, that is to say transmission carried out with a high Quality of Service HD, of voice information V in the local area networks L1, L2.



## Patent Claims

1. A method for allocation of a Quality of Service (DG) for a service (DI), in which
- 5 - the service (DI) is provided in at least one communications network (KN) which transmits packets (PA) and/or packet streams (ST) in a packet-oriented manner as a function of Qualities of Service (DG),
- 10 - use (NU) of the service (DI) is requested with a controller (SF), and
- the controller (SF) allocates the Quality of Service (DG) for the requested use (NU) of the service (DI) as a function of the service (DI)
- 15 and/or of the requested use (NU) of the service (DI).
2. The method as claimed in claim 1, characterized
- 20 in that the use (NU) of the service (DI) is requested without stating the Quality of Service (DG).
3. The method as claimed in one of claims 1 or 2, characterized
- 25 in that the service (DI) is in the form of the transmission of information (INF), in particular voice information (V).
- 30 4. The method as claimed in one of claims 1 to 3, characterized
- in that the controller (SF) checks whether the requested use (NU) of the service (DI) can be provided with the intended Quality of Service (DG)
- 35 by the communications network (KN).



5. The method as claimed in one of the preceding claims,  
characterized  
in that, when the service (DI) is being used by  
5 the communications network (KN), at least one  
packet stream (ST) which is allocated to the  
service is transmitted with the Quality of Service  
(DG).
- 10 6. The method as claimed in claim 5,  
characterized  
in that the controller (SF) signals the Quality of  
Service (DG) of the packet stream (ST) to at least  
15 one network gateway device (NE), which then  
subsequently transmits the packet stream (ST) with  
the signaled Quality of Service (DG) to the  
packet-oriented communications network (KN).
- 20 7. The method as claimed in claim 6,  
characterized  
in that the network gateway device (NE) is in the  
form of an edge device (ED).
- 25 8. The method as claimed in one of claims 6 or 7,  
characterized  
in that at least one acknowledgement of the  
signaled Quality of Service (DG) is required for  
the allocation of the Quality of Service (DG).
- 30 9. The method as claimed in one of claims 6 to 8,  
characterized  
in that the Quality of Service (DG) is signaled  
using signaling packets (MP).
- 35 10. The method as claimed in one of the preceding  
claims,  
characterized



in that at least one high Quality of Service (HD)  
and one low Quality of Service (ND) are provided  
in the communications network (KN).



11. The method as claimed in claim 10,  
characterized  
in that the packet streams (ST) with the high  
Quality of Service (HD) are transmitted with  
5 priority by the network gateway device (NE).
12. The method as claimed in one of the preceding  
claims,  
characterized  
10 in that a Quality of Service tag (DK) is provided  
in the packets (PA).
13. The method as claimed in claim 12,  
characterized  
15 in that the network gateway device (NE) transmits  
those packet streams (ST) which are to be  
transmitted by it with a high Quality of Service  
(HD) with a first Quality of Service tag (HDK)  
which represents the high Quality of Service (HD),  
20 and transmits the remaining packet streams (ST)  
with a second Quality of Service tag (NDK), which  
represents the low Quality of Service (ND).
14. The method as claimed in claim 13,  
25 characterized  
in that the Quality of Service (DG) is produced on  
the basis of priorities (P), with the high Quality  
of Service (HD) being stated as the high priority  
(HP) and the low Quality of Service (ND) being  
30 stated as the low priority (NP), and the Quality  
of Service tag (DK) has been stated as the  
priority tag (PK).
15. The method as claimed in one of the preceding  
35 claims,  
characterized  
in that the packets (PA) are in the form of  
Internet packets (IP).



16. The method as claimed in one of the preceding claims,  
characterized  
5 in that the controller (SF) is in the form of a gatekeeper (GK) in accordance with International Standard H.323.






FIG 1



2/2




FIG 2



# Declaration and Power of Attorney For Patent Application

## Erklärung Für Patentanmeldungen Mit Vollmacht

### German Language Declaration

#3

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:

As a below named inventor, I hereby declare that:

dass mein Wohnsitz, meine Postanschrift, und meine Staatsangehörigkeit den im Nachstehenden nach meinem Namen aufgeführten Angaben entsprechen,

My residence, post office address and citizenship are as stated below next to my name,

dass ich, nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent beantragt wird für die Erfindung mit dem Titel:

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

#### Verfahren zur Vergabe einer Dienstquete fuer einen Paketstrom

#### Method for the allocation of a quality of service for a packet flow

deren Beschreibung

the specification of which

(zutreffendes ankreuzen)

(check one)

☐ hier beigefügt ist.

☐ is attached hereto.

☒ am 08.03.2000 als

☒ was filed on 08.03.2000 as

PCT internationale Anmeldung

PCT international application

PCT Anwendungsnummer PCT/DE00/00728

PCT Application No. PCT/DE00/00728

eingereicht wurde und am \_\_\_\_\_

and was amended on \_\_\_\_\_

abgeändert wurde (falls tatsächlich abgeändert).

(if applicable)

Ich bestätige hiermit, dass ich den Inhalt der obigen Patentanmeldung einschliesslich der Ansprüche durchgesehen und verstanden habe, die eventuell durch einen Zusatzantrag wie oben erwähnt abgeändert wurde.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims as amended by any amendment referred to above.

Ich erkenne meine Pflicht zur Offenbarung irgendwelcher Informationen, die für die Prüfung der vorliegenden Anmeldung in Einklang mit Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) von Wichtigkeit sind, an.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäss Abschnitt 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 119 aller unten angegebenen Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde, und habe auch alle Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde nachstehend gekennzeichnet, die ein Anmeldedatum haben, das vor dem Anmeldedatum der Anmeldung liegt, für die Priorität beansprucht wird.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:



# German Language Declaration

Prior foreign applications  
Priorität beansprucht

Priority Claimed

19910585.5

DE

10.03.1999

☒

☐

(Number)  
(Nummer)

(Country)  
(Land)

(Day Month Year Filed)  
(Tag Monat Jahr eingereicht)

Yes  
Ja

No  
Nein

(Number)  
(Nummer)

(Country)  
(Land)

(Day Month Year Filed)  
(Tag Monat Jahr eingereicht)

☐  
Yes  
Ja

☐  
No  
Nein

(Number)  
(Nummer)

(Country)  
(Land)

(Day Month Year Filed)  
(Tag Monat Jahr eingereicht)

☐  
Yes  
Ja

☐  
No  
Nein

Ich beanspruche hiermit gemäss Absatz 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 120, den Vorzug aller unten aufgeführten Anmeldungen und falls der Gegenstand aus jedem Anspruch dieser Anmeldung nicht in einer früheren amerikanischen Patentanmeldung laut dem ersten Paragraphen des Absatzes 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 122 offenbart ist, erkenne ich gemäss Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) meine Pflicht zur Offenbarung von Informationen an, die zwischen dem Anmeldedatum der früheren Anmeldung und dem nationalen oder PCT internationalen Anmeldedatum dieser Anmeldung bekannt geworden sind.

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §122, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

PCT/DE00/00728  
(Application Serial No.)  
(Anmeldeseriennummer)

08.03.2000  
(Filing Date D, M, Y)  
(Anmeldedatum T, M, J)

anhängig  
(Status)  
(patentiert, anhängig,  
aufgegeben)

pending  
(Status)  
(patented, pending,  
abandoned)

(Application Serial No.)  
(Anmeldeseriennummer)

(Filing Date D,M,Y)  
(Anmeldedatum T, M; J)

(Status)  
(patentiert, anhängig,  
aufgeben)

(Status)  
(patented, pending,  
abandoned)

Ich erkläre hiermit, dass alle von mir in der vorliegenden Erklärung gemachten Angaben nach meinem besten Wissen und Gewissen der vollen Wahrheit entsprechen, und dass ich diese eidesstattliche Erklärung in Kenntnis dessen abgebe, dass wissentlich und vorsätzlich falsche Angaben gemäss Paragraph 1001, Absatz 18 der Zivilprozessordnung der Vereinigten Staaten von Amerika mit Geldstrafe belegt und/oder Gefängnis bestraft werden koennen, und dass derartig wissentlich und vorsätzlich falsche Angaben die Gültigkeit der vorliegenden Patentanmeldung oder eines darauf erteilten Patentes gefährden können.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.



# German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den nachstehend benannten Patentanwalt (oder die nachstehend benannten Patentanwälte) und/oder Patent-Agenten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Geschäfte vor dem Patent- und Warenzeichenamt: (Name und Registrationsnummer anführen)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)



29177

Customer No.

PATENT TRADEMARK OFFICE

And I hereby appoint

Telefongespräche bitte richten an:  
(Name und Telefonnummer)

Direct Telephone Calls to: (name and telephone number)

Ext. \_\_\_\_\_

Postanschrift:

Send Correspondence to:

Bell, Boyd & Lloyd LLC  
Three First National Plaza, 70 West Madison Street, Suite 3300 60602-4207 Chicago, Illinois  
Telephone: (001) 312 372 11 21 and Facsimile (001) 312 372 20 98  
or  
Customer No.

Voller Name des einzigen oder ursprünglichen Erfinders:		Full name of sole or first inventor:	
RUDOLF BITZINGER		RUDOLF BITZINGER	
Unterschrift des Erfinders	Datum	Inventor's signature	Date
<i>Rudolf Bitzinger</i>	8/28/01		
Wohnsitz		Residence	
MUENCHEN, DEUTSCHLAND		MUENCHEN, GERMANY DEX	
Staatsangehörigkeit		Citizenship	
AT		AT	
Postanschrift		Post Office Address	
LECHBRUCKER STR. 11		LECHBRUCKER STR. 11	
81476 MUENCHEN		81476 MUENCHEN	
Voller Name des zweiten Miterfinders (falls zutreffend):		Full name of second joint inventor, if any:	
Dr. CHRISTIAN PREHOFFER		Dr. CHRISTIAN PREHOFFER	
Unterschrift des Erfinders	Datum	Second Inventor's signature	Date
<i>Christian Prehoffer</i>	3/3/01		
Wohnsitz		Residence	
MUENCHEN, DEUTSCHLAND		MUENCHEN, GERMANY DEX	
Staatsangehörigkeit		Citizenship	
DE		DE	
Postanschrift		Post Office Address	
WENGLEINSTR.7		WENGLEINSTR.7	
81477 MUENCHEN		81477 MUENCHEN	

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben).

(Supply similar information and signature for third and subsequent joint inventors).



3-00

Voller Name des dritten Miterfinders: <b>VIKTOR RANSMAYR</b>		Full name of third joint inventor: <b>VIKTOR RANSMAYR</b>	
Unterschrift des Erfinders <i>Rudolf Ranzmayr</i>	Datum <b>8/28/01</b>	Inventor's signature <i>V. Ransmayr</i>	Date <b>8/30/01</b>
Wohnsitz <b>MUENCHEN, DEUTSCHLAND</b>		Residence <b>MUENCHEN, GERMANY</b> <b>DEX</b>	
Staatsangehörigkeit <b>DE</b>		Citizenship <b>DE</b>	
Postanschrift <b>BARERSTR. 66/DG</b>		Post Office Address <b>BARERSTR. 66/DG</b>	
<b>80799 MUENCHEN</b>		<b>80799 MUENCHEN</b>	
Voller Name des vierten Miterfinders:		Full name of fourth joint inventor:	
Unterschrift des Erfinders	Datum	Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	
Voller Name des fünften Miterfinders:		Full name of fifth joint inventor:	
Unterschrift des Erfinders	Datum	Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	
Voller Name des sechsten Miterfinders:		Full name of sixth joint inventor:	
Unterschrift des Erfinders	Datum	Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben).

(Supply similar information and signature for third and subsequent joint inventors).